

Application No.: 10/692,588

Docket No.: JCLA10198

AMENDMENT**In The Claims:**

Claim 1. (currently amended) An evaporation method, comprising:

providing a substrate, wherein the substrate is rotating ~~along~~ around an axis of rotation at the center of the substrate, said axis of rotation is and perpendicular to a plane of the top surface of the substrate;

defining a ~~circular trace~~ circle on the plane of the top surface of the substrate, wherein the center of said circle is ~~by using the center of the substrate as the center of the circular trace;~~

providing a heater right under a point on the ~~circular trace~~ circle;

providing a source supplying device, wherein the source supplying device supplies a metal wire as an evaporation source ~~along in~~ a source supplying direction to a source evaporation point on the heater, such that a vertical line intersects said point on said circle and said source evaporation point;

adjusting the source supplying direction of the source supplying device so that a projection of the source supplying direction on said ~~the~~ plane of the top surface of the substrate ~~coincides with the~~ is a tangent of the ~~circular trace~~ circle at ~~the~~ said point on the ~~circular trace~~ circle; and

heating the evaporation source by the heater for evaporation.

Claim 2. (original) The evaporation method of claim 1, further comprising disposing a shelter between the source supplying device and the substrate for defining an evaporation region.

Application No.: 10/692,588

Docket No.: JCLA10198

Claim 3. (currently amended) The evaporation method of claim 2, wherein a radius of the evaporation region is substantially similar to that of the ~~circular trace~~ circle.

Claim 4. (original) The evaporation method of claim 1, wherein a rotational direction of the substrate is clockwise.

Claim 5. (original) The evaporation method of claim 1, wherein a rotational direction of the substrate is counterclockwise.

Claim 6. (original) The evaporation method of claim 1, wherein the evaporation source is aluminum or silver.

Claim 7. (currently amended) An evaporation apparatus for depositing a film on a substrate, the evaporation apparatus comprising:

a rotator driving the substrate to be rotating ~~along~~ around an axis of rotation at the center of the substrate to define a ~~circular trace~~ circle on a plane of the top surface of the substrate, wherein the center of said circle is by using the center of the substrate as the center of the circular trace;

a heater, disposed right under a point on the ~~circular trace~~ circle, wherein the heater has a source evaporation point thereon; and

a source supplying device, disposed over the heater, wherein the source supplying device supplies a metal wire as an evaporation source ~~along in~~ a source supplying direction to a said source evaporation point on the heater and a projection of the source supplying direction on ~~the~~ said plane of the top surface of the substrate ~~coincides with the~~ is a tangent of the ~~circular trace~~

Application No.: 10/692,588

Docket No.: JCLA10198

circle at the point on the ~~circular trace~~ circle, wherein a vertical line intersects said point on said circle and said source evaporation point.

Claim 8. (original) The evaporation apparatus of claim 7, further comprising a shelter disposed between the source supplying device and the substrate for defining an evaporation region, wherein the shelter has an opening for defining the evaporation region on the substrate.

Claim 9. (original) The evaporation apparatus of claim 8, wherein the opening is a circular opening.

Claim 10. (currently amended) The evaporation apparatus of claim 9, wherein a radius of the evaporation region is substantially similar to that of the ~~circular trace~~ circle.

Claim 11. (original) The evaporation apparatus of claim 7, wherein the evaporation source is aluminum or silver.

Claim 12. (original) The evaporation apparatus of claim 7, wherein a rotational direction of the substrate is clockwise.

Claim 13. (original) The evaporation apparatus of claim 7, wherein a rotational direction of the substrate is counterclockwise.

Claim 14. (original) The evaporation apparatus of claim 7, wherein the heater is a rectangular loading crucible.